

OVERSTOCK SPECIALS

Overstock Specials will always be available – however the décor selections are subject to change depending on our inventory levels.



PLEASE VISIT OUR WEBSITE FOR MORE INFO ABOUT US AND OUR PRODUCTS

www.trustonespc.com



ROOM SCENE



29053-8



ROOM SCENE



7322-45



ROOM SCENE



19005-6



ROOM SCENE



19005-2



ROOM SCENE



29045-8



ROOM SCENE



2614-1




ROOM SCENE



29150-3




ROOM SCENE



29074-1



ROOM SCENE



29045-6



ROOM SCENE



29100-8




ROOM SCENE



29150-1



ROOM SCENE



29039-8



ROOM SCENE



2639-4



ROOM SCENE



6062-7




ROOM SCENE



29123-1



ROOM SCENE



2640-1




ROOM SCENE



29145-1



ROOM SCENE



6151-3



ROOM SCENE



29053-4




ROOM SCENE



7237




ROOM SCENE



437-05



ROOM SCENE



437-08



ROOM SCENE



437-03



ROOM SCENE



319-09



ROOM SCENE



319-04



ROOM SCENE



340-07



ROOM SCENE



29034-18



ROOM SCENE



29053-1




ROOM SCENE



19027-5



ROOM SCENE



1001-3




ROOM SCENE



7265-7



ROOM SCENE



341-2



ROOM SCENE



354-07



ROOM SCENE



OM1581-09



ROOM SCENE



319-06



ROOM SCENE



81150-3



ROOM SCENE



6079-3

PREMIUM EUROPEAN QUALITY



WEBSITE QR CODE

PREMIUM
EUROPEAN
SPC
RIGID CORE
FLOORS

ULTIMATE SHIELD SCRATCH RESISTANT UV COATING
10X STRONGER AT RESISTING SCRATCHES, STAINS
AND ABRASIVES THEN REGULAR UV

22 | 12 MIL WEAR LAYER
PROTECTS THE HD FILM

HD PRINT FILM
WITH WIDE VARIATION

STONE POLYMER COMPOSITE (SPC) CORE
100% WATERPROOF CORE
14F OR UNICLIC LOCKING SYSTEM
2000 KGS/M3 DENSITY
70% LIMESTONE

HIGH DENSITY IXPE PAD UNDERLAYMENT
SUPERIOR TO EVA UNDERLAYMENT
ADVANCED SOUND REDUCTION
PROVIDE EXTRA COMFORT

14F OR
UNICLIC
LOCKING
SYSTEM

PRODUCT SPECIFICATIONS & INFO;

Plank Size: 7.13 x 48" | 9" x 48" | 9" x 60"

Edges: Micro Beveled

Core: Endurance Tech SPC (Stone Polymer Composite with 2000 kg/m3 Density)

Thickness: 5mm | 7mm (Includes 1mm & 1,5mm Pre Attached High Density IXPE Pad)

Protection: Ultimate Shield; Scratch, Stain and Wear Resistant - Surface Coating

Wear Layer: 22mil (0,55mm) | 12mil (0,3mm)

Visuals: Digital Ultra HD, Nature Inspired Realistic Wood

Surface: Wood Grain or Natural Stone Embossed. Impressive & Realistic Surface Textures.

Carton: 8 Pieces, 24.02 sqft / 48 cartons per pallet, 1153 sqft

Weights: 40 lbs per Carton / 2046 lbs per pallet

Installation: 14F OR UNICLIC LOCKING SYSTEM

RESIDENTIAL LIMITED WARRANTY: LIFETIME (25 YEARS)

LIGHT COMMERCIAL LIMITED WARRANTY: 7-10 YEAR

Intertek Clean Air Gold Certified: Our products meet the most stringent air emissions criteria

HIGHT QUALTY STANDARDS OF PRODUCTION: Our products meet and exceed USA Quality ASTM & ISO Standards;



ULTIMATE SHIELD SPECIAL SURFACE TREATMENT:

Sets a new industry benchmark in surface protection. This Special UV Coating Technology provides superb performance in Scratch, Stain and Wear Resistance (10x Stronger Resistance then regular UV)



ENDURANCE TECH CORE

Featuring proprietary technology to create the ultimate strength SPC waterproof core, which provides over 2000 kg m3 density. This results in a product that is structurally solid, impact resistant, extremely durable and guaranteed to last. We achieve this by utilizing a premium quality and completely safe formula which consist of 70% Natural Stone, Virgin PVC, as well as the highest grade polymers and minarels fused together under heat & high pressure using special tech Extruders. Our Core provides next level performance above and beyond competing products.

STYLISH | MODERN | NATURAL



TRU-STONE



📍 CANADA SHOWROOM & DISTRIBUTION CENTER: 8 Tracey Blvd Brampton ON L6T 5R9, Canada

📍 USA DISTRIBUTION CENTER: 46 Holland Industrial Park Road, Statesboro GA 30461, USA

📍 SPC FLOORING PRODUCTION FACILITY: Turanköy Mahallesi Eser Sokak #2/A Kestel, Bursa, Turkey

📍 NATURAL STONE PRODUCTION FACILITY: Organize Sanayi Bolgesi 1 Cad, 9 Sk, #8, Afyon, Turkey

✉ sales1@trustonespc.com

☎ +90 552 449 86 63

✉ info@tru-stone.net

☎ 1 (647) 510 84 53

www.trustonespc.com